

iX4



Quadrent iX4 Series Franking Machine

Franking as easy as 1, 2, 3.

The future of franking is here. The most intuitive, user-friendly franking machine ever made for small to medium businesses that combines professional performance with effortless usability.



EXPERIENCE
A rich history of world-class leadership



PROVEN RESULTS
97% customer satisfaction rate



EXPERTISE
7 trillion personalised experiences annually



BACKED BY THE EXPERTS
Gartner, IDC, Forrester, and Aspire

Meet the Quadient iX4

The only franking machine designed with a smartphone-inspired interface and intuitive navigation. It transforms franking into a simpler, faster, and smarter process that anyone can master quickly and easily.

The new standard in ease of use

Sending mail should be as easy as sending a text with prompts that are easy to follow and understand even for new users. Its unique 5" vertical touchscreen requires less scrolling for faster processing.



Built for everyday business

The iX4 saves you money compared to the cost of stamps and time spent at the post office. Compact in size but powerful in capability, the iX4 ensures your mail is prepared accurately and efficiently.

Monitor ink levels, number of pieces processed, and available postage funds in real time. The iX4 enables you and your team to save time, prevent costly errors, and deliver a polished image with every envelope and parcel.

The iX4 at a Glance

- Processes up to 45 letters per minute
- Smartphone-inspired user interface
- Complete functions in three steps or less
- Mailmark® savings applied instantly, no guesswork
- Differential weighing platform designed for real-world mixed mail processing
- Simple to use for all experience levels
- Fits easily into any office



Performance with a purpose

The iX4 combines innovative design with practical features that make preparing mail quick and stress-free.

FLEXIBLE

Large weighing platform

Process larger post and parcels of mixed weights without blocking the display. Stack and piece-by-piece weighing capabilities prevent overpaying for postage and eliminate post-delivery charges.

INNOVATIVE DESIGN

Vertical touchscreen navigation

Drop-down menus, pop-up, and sliding keys make operation feel familiar and easy.



TIME AND COST-SAVING

Royal Mail Mailmark® Technology

Access franking discounts. Save time calculating the correct postage. Re-credit your postage meter and manage your account from your desk.

EFFICIENT

Integrated 1D barcode printing

Print barcodes for Royal Mail Special Delivery Guaranteed® and Signed For® services directly on the envelope, no need for add-on software or external apps.

INTELLIGENT

Flexible mailing for your business

S.M.A.R.T. Online provides access to mailing services from your desktop to handle more complex items.

CONNECTED

High-speed LAN or wireless internet connection

Receive automatic updates for tariffs and keep your system current with no downtime. Get the latest postage prices, software updates, and system alerts.

S.M.A.R.T. Online combines convenience, cost savings, and control into one intuitive platform. Send your parcels and letters from one easy-to-use online mailing and shipping solution. Save time, money, and significantly reduce trips to the post office.



- Print postage and Royal Mail shipping labels directly from your desktop
- Track your mail and parcel activity in real time in one single dashboard
- Create cost centers and reports to track your postage and shipping spend
- Manage multiple users efficiently

The iX4 Series Franking Machine with S.M.A.R.T. will revolutionise your mail centre operations.

SPECIFICATIONS

User interface	5" Colour touchscreen
----------------	-----------------------

Screen orientation	Vertical
--------------------	----------

FEEDING / ENVELOPES

Fast start	Standard
------------	----------

Franking speed (letters / min)	Up to 45 lpm
--------------------------------	--------------

Letter feed	Manual
-------------	--------

Letter thickness (max in mm)	10mm
------------------------------	------

Minimum envelope dimensions (length x height)	5" X 3"
---	---------

Maximum envelope dimensions (length x height)	15" X 13"
---	-----------

Franking label operation	Sheet labels (manual)
--------------------------	-----------------------

Envelope sealer	Optional
-----------------	----------

Seal only mode	Standard
----------------	----------

FRANKING

Print technology	Ink-jet
------------------	---------

Specification	Mailmark®
---------------	-----------

1D barcodes	Standard
-------------	----------

PPI prints	Standard
------------	----------

Ad-slogans	10
------------	----

Favorites	9
-----------	---

Shipping solution bundled	S.M.A.R.T. Online
---------------------------	-------------------

SCALES

Integrated scale	Standard (3kg)
------------------	----------------

External scales	5kg, 8kg, 10kg, 35kg
-----------------	----------------------

WEIGHING MODES

Piece by piece	Standard
----------------	----------

Get weight	Standard
------------	----------

Differential weighing	Optional
-----------------------	----------

In accordance with Quadient's Sustainable Design and Responsible Manufacturing Policy, our products may contain reused parts and components.

ACCOUNTING

Number of accounts	Up to 100
--------------------	-----------

S.M.A.R.T. Essential software for shipping services	Optional
---	----------

ONLINE FUNCTIONS

Automatic Royal Mail tariff updates	Standard
-------------------------------------	----------

Automatic software updates	Standard
----------------------------	----------

Remote support functions	Standard
--------------------------	----------

Knowledge base access	Standard
-----------------------	----------

Auto-ink	Standard
----------	----------

NETWORK CONNECTION

TLS level	1.3
-----------	-----

DHCP	Standard
------	----------

Manual configuration	Standard
----------------------	----------

LAN	Ipv4 and ipv6
-----	---------------

Proxy	Standard
-------	----------

PORTS

LAN	Standard
-----	----------

WiFi	Optional
------	----------

USB (stick, printer)	Standard
----------------------	----------

ACCESSORIES

Barcode scanner	Optional
-----------------	----------

Label printer	Optional
---------------	----------

Scale stands	Optional
--------------	----------

Sealing fluid	Optional
---------------	----------

SYSTEM DIMENSIONS

iX4 with envelope tray (in mm)	292L X 746W x 403H
--------------------------------	--------------------

Weight	12,9kg
--------	--------



Fuel stronger business communications with leading edge technology and simple navigation.

Contact a Quadient representative to learn more or get a demo.

quadient

About Quadient®

Quadient is a global automation platform powering secure and sustainable business connections through digital and physical channels. Quadient supports businesses of all sizes in their digital transformation and growth journey, unlocking operational efficiency and creating meaningful customer experiences. For more information about Quadient, visit mail.quadient.com

iX6



Quadrent iX6 Series Franking System

Transform mail centre operations

The future of franking right at your fingertips. The most intuitive, user-friendly franking machine ever made for medium-sized businesses, combining professional performance with effortless usability.



EXPERIENCE

A rich history of world-class leadership



PROVEN RESULTS

97% customer satisfaction rate



EXPERTISE

7 trillion personalised experiences annually



BACKED BY THE EXPERTS

Gartner, IDC, Forrester, and Aspire

Meet the Quadient iX6

The only franking machine designed with a smartphone-inspired interface and intuitive navigation. It transforms franking into a simpler, faster, and smarter process that anyone can master quickly and easily.

Built for everyday business

The iX6 enables you and your team to save time, prevent costly errors, and deliver a polished image with every envelope and parcel. The iX6 is available in two models: a space-saving semi-automatic hand feed (iX6 HF) or auto-feed technology (iX6 AF).



Easy to navigate and operate

The iX6 requires no more than THREE steps to perform any task. A colour smartphone-inspired interface and intuitive navigation make sending mail as simple as sending a text. Its 7.5" vertical touchscreen provides more space for less scrolling and faster processing.

Efficient, secure, and compliant

The iX6 meets the latest Royal Mail data and security management requirements. Print the latest barcodes using Royal Mail's latest Mailmark® mailing technology, including Royal Mail Special Delivery Guaranteed® and Signed For® services, directly on the envelope. No need for add-on software or external apps.

The iX6 at a Glance

- Ideal for mid-volume mailers
- Smartphone-inspired operation
- Mailmark® Franking Technology
- Processing speeds up to 110 letters per minute*
- Differential weighing platform designed for real-world mixed mail processing
- Powered by S.M.A.R.T Online Shipping and Mailing Software

Revolutionise mail centre management

The iX6 combines innovative design with practical features and benefits that make preparing and managing your mailing process effortless.

POWERFUL

Large weighing platform

Process large post and parcels of mixed weights on the scale without blocking the display. Stack weighing capabilities prevent overpaying for postage and eliminate post-delivery charges.

CONTEMPORARY DESIGN

Intuitive 7.5" vertical touchscreen

Drop-down menus, pop-ups, and sliding keys make navigation and operation easy even for new users.



EFFICIENT

Hands-free automatic feeder

with sealer adjusts to sort mail by size and thickness. Self-aligning rollers prevent jams or misprints.

INTELLIGENT

Centralised post management

Integrated **S.M.A.R.T. Online** software enables you to compare services, manage budgets, and generate reports, all from a single application and dashboard.

TIME AND COST-SAVING

Royal Mail Mailmark® Technology

Get postage savings for 1st and 2nd class services. The unique Quadient OLS system keeps tariffs, firmware, and slogans always up to date.

CONNECTED

High-speed LAN connection

Receive automatic updates for software, low ink, and system alerts.

S.M.A.R.T. Online combines convenience, cost savings, and control into one intuitive platform. Send your parcels and letters from one easy-to-use online mailing and shipping solution. Save time, money, and significantly reduce trips to the post office.



- Print postage and Royal Mail shipping labels directly from your desktop
- Track your mail and parcel activity in real time in one single dashboard
- Create cost centers and reports to track your postage and shipping spend
- Manage multiple users efficiently

The iX6 Series Franking System with S.M.A.R.T. will revolutionise your mail centre operations.

SPECIFICATIONS

User interface	7.5" Colour touchscreen
Screen orientation	Vertical

FEEDING / ENVELOPES

Fast start	Standard
Franking speed (letters / min)	Up to 110 lpm
Letter feed	iX6 AF: automatic iX6 HF: semi automatic
Letter thickness (max in mm)	12mm
Minimum envelope dimensions (length x height)	5" X 3"
Maximum envelope dimensions (length x height)	15" X 13"
Franking label operation	Integrated label dispenser
Envelope sealer	Optional
Seal only mode	Standard

FRANKING

Print technology	Ink-jet (fast drying)
Specification	Mailmark®
1D barcodes	Standard
PPI prints	Standard
Ad-slogans	10
Favorites	9
Shipping solution bundled	S.M.A.R.T. Online

WEIGHING

Piece-by-piece	Standard
Get weight	Standard
Stack weighing	Available
External scale	3kg, 5kg, 8kg, 10kg, 35kg

In accordance with Quadient's Sustainable Design and Responsible Manufacturing Policy, our products may contain reused parts and components.

ACCOUNTING

Number of accounts	Up to 300
S.M.A.R.T. Essential software for shipping services	Optional

ONLINE FUNCTIONS

Automatic Royal Mail tariff updates	Standard
Automatic software updates	Standard
Remote support functions	Standard
Knowledge base access	Standard
Auto-ink	Standard

NETWORK CONNECTION

TLS level	1.3
DHCP	Standard
Manual configuration	Standard
LAN	IPv4 and IPv6
Proxy	Standard

PORTS

LAN	Standard
USB (stick, printer)	Standard
WiFi	Optional

ACCESSORIES

Barcode scanner	Optional
Label printer	Optional
Scale stands	Optional
Sealing fluid	Optional

SYSTEM DIMENSIONS

iX6 AF (in mm)	1121L X 416W x 306H
Weight	21,0kg
iX6 HF (in mm)	905L x 416W x 306H
Weight	13,1kg

Fuel stronger business communications with leading edge technology and simple navigation.



Contact a Quadient representative to learn more or get a demo.

quadient

About Quadient®

Quadient is a global automation platform powering secure and sustainable business connections through digital and physical channels. Quadient supports businesses of all sizes in their digital transformation and growth journey, unlocking operational efficiency and creating meaningful customer experiences. For more information about Quadient, visit mail.quadient.com

iX8



Quadrent iX8 Series Franking System

Mail centre operations reimagined

The future of high-volume franking. The most intuitive, user-friendly franking machine ever made for businesses that process high volumes of mail, combining professional performance with effortless usability.



EXPERIENCE
A rich history of world-class leadership



PROVEN RESULTS
97% customer satisfaction rate



EXPERTISE
7 trillion personalised experiences annually



BACKED BY THE EXPERTS
Gartner, IDC, Forrester, and Aspire

Meet the Quadient iX8

Built for demanding mail centres. The only franking machine designed with the operator in mind. The iX8 is a durable, high-performing system that enables you and your team to save time, prevent costly errors, and deliver a polished, professional image with every envelope and parcel.

Easy to navigate and operate

A colour smartphone-inspired interface and intuitive navigation makes sending mail as simple as sending a text. The touchscreen provides more space and less scrolling, for faster processing right at your fingertips.



Accelerate productivity

The advanced auto feeder automatically adjusts to accelerate the processing of mixed mail. The dynamic scale offers the most flexible weighing capabilities in this market segment with multiple weighing modes, including modes for batch processing and daily mail. Enable weighing features such as stack weighing and piece-by-piece for regular mail and oversized items.

Secure and compliant

The iX8 meets the latest Royal Mail data and security management requirements. Print the latest barcodes using Royal Mail's latest Mailmark® mailing technology, including Royal Mail Special Delivery Guaranteed® and Signed For® services, directly on the envelope. No need for add-on software or external apps.

Thoughtfully engineered

The iX8 is sustainably engineered with a long-lasting print engine that lasts the life of the machine. Job favorites, dynamic weighing, and on-the-fly postage calculation are just some of the features and benefits that will help your mail centre increase profitability, efficiency, and quality to maximise ROI.

The iX8 at a Glance

- Ideal for high-volume mailers (up to 1250 letters/day)*
- Unique 7.5" vertical touchscreen
- Mailmark® Franking Technology
- Processing speeds up to 150 letters per minute
- Dynamic weighing speed up to 90 letters per minute
- Feeder adjusts automatically for mixed mail
- Powered by S.M.A.R.T. Shipping, Mailing, Accounting, Reporting, Tracking Software

*Recommended usage is 750 letters per day

Your all-in-one mailing solution

The iX8 combines innovative design with powerful features to deliver ease of use with maximum throughput.

S.M.A.R.T. ONLINE

Consolidated view of mailing and shipping activities

Compare services, manage budgets, and generate reports, all from a single application and dashboard.

VERSATILE

Large weighing platform

Process large post and parcels without blocking the display. Stack and oversized weighing capabilities accelerate mixed-mail processing.



PRODUCTIVE

Hands-free mixed-mail feeder

Process up to 175 letters per minute with the integrated sealer. Feeder automatically adjusts during processing to accommodate varying envelope sizes, reducing the number of start and stops.

TIME AND COST-SAVING

Royal Mail Mailmark® Technology

Get postage savings for 1st and 2nd class services. The unique Quadient OLS system keeps tariffs, firmware, and slogans always up to date.

CONTEMPORARY DESIGN

Colour 7.5" vertical touchscreen

Drop-down menus, pop-up, and sliding keys make navigation and operation easy even for new users. Just touch and frank.

EFFICIENT

Dynamic scale and multiple weighing modes

Keep mail flowing!

CONNECTED

High-speed LAN connection

Receive automatic updates for software, low ink, and system alerts.

S.M.A.R.T. Online combines convenience, cost savings, and control into one intuitive platform. Send your parcels and letters from one easy-to-use online mailing and shipping solution. Save time, money, and significantly reduce trips to the post office.



- Print postage and Royal Mail shipping labels directly from your desktop
- Track your mail and parcel activity in real time in one single dashboard
- Create cost centers and reports to track your postage and shipping spend
- Manage multiple users efficiently

The iX8 Series Franking System with S.M.A.R.T. will revolutionise your mail centre operations.

SPECIFICATIONS

User interface	7.5" Colour touchscreen
Screen orientation	Vertical

FEEDING / ENVELOPES

Fast start	Standard
Franking speed (dynamic weighing mode off)	Up to 150 letters/min
Franking speed (dynamic weighing mode on)	Up to 90 letters/min
Letter feed	Fully automatic
Letter thickness (max in mm)	16 mm
Minimum envelope dimensions (length x height)	5" X 3"
Maximum envelope dimensions (length x height)	15" X 13"
Franking label operation	Integrated label dispenser
Automatic envelope sealer	Standard
Seal only mode	Standard

FRANKING

Print technology	Ink-jet (fast drying)
Specification	Mailmark®
1D barcodes	Standard
PPI prints	Standard
Ad-slogans	10
Favorites	9
Shipping solution bundled	S.M.A.R.T. Online

SCALES

External scales	3kg, 5kg, 8kg, 10kg, 35kg
Dynamic scale	Optional

ACCOUNTING

Number of accounts	Up to 500
S.M.A.R.T. Essential software for shipping services	Optional

WEIGHING MODES

Piece-by-piece	Standard
Dynamic weighing with format detection (only with dynamic scale)	Standard
Batch mode (only with dynamic scale)	Standard
Get weight	Standard
Stack weighing	Available

ONLINE FUNCTIONS

Automatic Royal Mail tariff updates	Standard
Automatic software updates	Standard
Remote support functions	Standard
Knowledge base access	Standard
Auto-ink	Standard

NETWORK CONNECTION

TLS level	1.3
DHCP	Standard
Manual configuration	Standard
LAN	IPv4 and IPv6
Proxy	Standard

PORTS

LAN	Standard
USB (stick, printer)	Standard
WiFi	Optional

ACCESSORIES

Barcode scanner	Optional
Label printer	Optional
Scale stands	Optional
Sealing fluid	Optional

SYSTEM DIMENSIONS

iX8 (in mm)	1154L X 448W x 379H
Weight	27,3kg
iX8 with dynamic scale (in mm)	1595L X 451W x 379H
Weight	39,2kg

Fuel stronger business communications with leading edge technology and simple navigation.



Contact a Quadient representative to learn more or get a demo.

In accordance with Quadient's Sustainable Design and Responsible Manufacturing Policy, our products may contain reused parts and components.

quadient

About Quadient®

Quadient is a global automation platform powering secure and sustainable business connections through digital and physical channels. Quadient supports businesses of all sizes in their digital transformation and growth journey, unlocking operational efficiency and creating meaningful customer experiences. For more information about Quadient, visit mail.quadient.com